

# A NEW COLUMN FORMAT FOR MODERN HPLC



#### FUTURE OF LIQUID CHROMATOGRAPHY

SIELC Technologies, Inc Wheeling, IL 60090 USA 847-229-2629 F. 847-655-6079 mail@sielc.com www.sielc.com

## HPLC COLUMN OF THE FUTURE

For as long as people have performed HPLC, they have used the same column format, the same method of connecting the column to the system, and they have encountered the same problems:



Clogging at the tube-column junction



Leakage around the high pressure solvent connections



Sorting through many available high pressure fittings

Installation problems with tubing to achieve minimum dead volume


Selecting the proper tube length l←→l and ID

There is not enough space on a short column to place a full-size label

### SIELC INTRODUCES A NEW SINGLE **ENDED COLUMN DESIGN**


To address these issues, a new column design was developed. This column, along with its corresponding adapter, completely eliminates the need for any highpressure fittings or tubing, while also minimizing all possible dead volumes. Furthermore, if a leak ever occurs at the high-pressure column inlet, the mobile phase is contained within the column adapter—preventing any external leakage.

All SIELC and traditional columns available in a new format, including C18, HILIC, ion exchange, mixed-mode, ion exclusion, size exclusion, protein, BIST, and normal phase.



# **HPLC COLUMN OF THE FUTURE**

#### HOW IT WORKS?



#### **ADDAPTER**



Near-zero dead volume column connection. No fittings need to be disconnected to replace the column.



protrusion-Smooth, free body allows fullsize labeling even on the shortest column.





Stainless steel adapter high-pressure for applications, compatible with all standard HPLC fittings.

Aluminum column body ensures even and efficient heat transfer.



### **CONTACT US**



For Product Information Email: sales@sielc.com



For Accounts Payable Email: finance@sielc.com



For Method Development Email: research@sielc.com

We offer free HPLC method development tailored to your specific compounds, ensuring optimized separations with reliable, reproducible results. Free custom solutions—designed for seamless analytical performance.

Call: 847 229-2629 Fax: 847 655-6079

**SIELC Technologies**, 804 Seton Ct. Wheeling, IL USA 60090



Please do not hesitate to give us a call at +1 (847) 229-2629 or send us an email at **mail@sielc.com** if you have any questions at all.